

NATIONAL INSTITUTE OF TECHNOLOGY SILCHAR
Silchar – 788 010 (ASSAM)

No: NITS/PS-442/ECE/Proj/Disaster Spectrum & Disaster Communication Backbone Architecture/17

Date : 06/03/2017

NOTICE INVITING TENDER

**FOR SUPPLY AND INSTALLATION OF DESKTOP PC & DRONE FOR ECE DEPARTMENT
AT NIT SILCHAR**



LAST DATE & TIME OF SUBMISSION : 28/03/2017 up-to 01.00 PM

DATE & TIME OF OPENING : 28/03/2017 at 03.30 PM



**NATIONAL INSTITUTE OF TECHNOLOGY
SILCHAR - 788 010**

Tel.No. Director: (03842) 224879

Fax: (03842) 224797

NOTICE INVITING TENDER

**Adv. No: NITS/PS-442/ECE/Proj/Disaster Spectrum & Disaster Communication Backbone
Architecture/17**

Sealed Tender/Quotations are invited from reputed Firms/Agencies/Manufacturer/Authorized Dealer **FOR SUPPLY AND INSTALLATION OF DESKTOP PC & DRONE FOR ECE DEPARTMENT AT NIT SILCHAR** along with Earnest Money Deposit (EMD) of **Rs.17,000/- in the form of Demand Draft in favour of "The Director, NIT, Silchar", Payable at Silchar. No Interest shall be paid on EMD.**

Detail specification of the item/items is given in **(Annexure – A)**.

Tender documents can be obtained from Purchase Section, NIT Silchar or may be downloaded from our website www.nits.ac.in or <http://tenders.gov.in>. **The cost of tender document is Rs.500/- (Non-refundable)** to be submitted in cash or in the form of DD in favour of The Director, NIT Silchar, Payable at Silchar. The last date and time for submission of Tender documents will be **28/03/2017** up-to **01.00PM** and tender will be opened on the same date at **03.30 PM** in office of HOD, ECE Dept., NIT SILCHAR.

The offers without Cost of Tender & Earnest Money Deposit (EMD) shall be out rightly rejected.

Director, NIT Silchar reserves the right to extend the date, or cancel the tender, accept or reject any/all quotations or not to purchase all or any of the items.

Quotations are to be sent/submitted in sealed covers addressed to :-

**The Purchase Officer
National Institute of Technology, Silchar
788 010 (Assam)**

REGISTRAR, NIT SILCHAR

NOTICE INVITING TENDER

Credential Criteria :

- The bidder should have provided similar nature of services to IITs/NITs/Govt. Departments/Semi Govt. Departments/PSU/Educational Institutions of National Importance etc. during last 3(three) years. **Duly certified copies are to be enclosed.**
- Quotations are to be submitted in properly sealed cover the address of the firm submitting the quotation must appear on the sealed cover, & the cover shall be super scribed as
- "QUOTATION FOR SUPPLY & INSTALLATION OFFOR
..... NIT SILCHAR.
- VIDE TENDER REF NO NITS/PS-....., DATED.....DATE OF
OPENING

[The bid will summarily be rejected & returned to the bidder if the sealed envelope containing the quotation is not super scribed as above].

- **Genuine Pricing** (Both foreign & indigenous) :Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this particular item has been sold recently, particularly to IIT/Institutes and other Government Organization.
- **No Part Delivery:** Part shipment for any items will not be allowed.
- **Any Optional item quoted by the supplier will not be entertained.**
- **Termination for default :** Default is said to have occurred -
- If the supplier fails to deliver any or all of the items/services within the time period(s) specified in the purchase order or any extension thereof granted by NIT Silchar, the Institute may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable.

TERMS & CONDITIONS:

1. The bidding agency should be reputed firm and having all necessary certificates, viz. VAT registration certificate, PAN, Registration, Sale Tax clearance Certificate, Authorized Dealership/Distributorship certificate, etc. The photocopies of all the certificates should be attached with the tender.
2. The firm should be an original manufacturer/Authorized Dealer/Supplier in the business of manufacture or supply of business for minimum 5 (five) years. The firm should submit audited financial statements for latest three financial years in support of this claim.
3. The items being quoted should be manufactured by Original Manufacturer and no non-standard item should be quoted. All detailed specifications with make & model no. of the items accompanied by proper leaflets should be clearly mentioned and attached with the offer. In case of proprietary or patented item, necessary certificates in support of the same should be attached. The bidder must submit the Compliance Statement and Deviation Statement of technical specification.
4. The firm should have satisfactorily manufactured/ supplied equipment, as requisitioned in this tender, to IITs/NITs/Govt. Departments/Semi Govt. Departments/PSU/Educational Institutions of National Importance etc. during the last three years ending the last day of March 2016.
5. **The rate quoted must be both in words and figures and F.O.R. / Destination National Institute of Technology, Silchar inclusive of packing, forwarding etc. Octroi, surcharge, insurance, Installation and any other charges.** Educational discount, if any should be indicated clearly. Tenderer(s) may note that the Government of India exempts this Institute from paying custom duty/excise duty on selected items. Necessary documents will be furnished if required on demand by the Tenderer(s). **Rate quoted for any other destination shall not be accepted.**
6. Assam Sales Tax must be quoted as extra in the tender, wherever applicable.

7. NIT Silchar will not provide educational concession Central Sales Tax Form 'D', wherever applicable.
8. Payment shall be made only after receipt and installation of the materials/articles in good and working conditions as per specifications and after satisfactory installation and commissioning of the equipment/machinery/accessories by the department.
9. Manufacturer's/Company's name, its trademark should be mentioned in the Tender and illustrative leaflets giving technical particulars, etc. should be attached in the tender.
10. Tenderer(s) registered with the State/Central Government must quote his registration numbers, if any, and submit a Xerox copy of registration along with the tender.
11. Guarantee/Warranty period offered for the tendered item is to be clearly specified.
12. The rates to be quoted by the agency should be valid for a period of six months after the deadline date specified in the tender.
13. The quantity against each item mentioned in the tender may vary according to the actual requirements at the time of placing Purchase Order.
14. It is not binding for the bidding agency to quote for all the items.
15. **Each bidder should clearly specify that the bidder agrees to abide by the conditions of this tender document on their printed letter head duly sealed & signed by an authorized person.**
16. **Bid Price**
 - a) The contract shall be for the full quantity as described above. Corrections, if, shall be made by crossing out, initialing dating and rewriting.
 - b) **The bidder should quote the total price for each item inclusive of packing and forwarding, all duties, levies, insurance, installation, any other charges, etc. Only taxes & (discount if any) should be mentioned separately.**
 - c) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
17. Each bidder shall submit only one quotation.
18. All necessary documents shall be furnished along with the bid.
19. Validity of Tenders/Quotations: Tenders/Quotations shall remain valid for a period not less than 6 months after the deadline date specified for submission of tender.
20. **Packing**
 - a) The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall have to be taken into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
 - b) The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be provided for in the Contract including additional requirements.
21. **Evaluation of Quotations :**
NIT Silchar will evaluate and compare the quotations determined to be substantially responsive i.e. which
 - a) are properly signed
 - b) Conform to the terms and conditions, and specifications.
22. **Award of contract:**

NIT Silchar will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

- a) The bidder whose bid is accepted will be notified of the award of contract by the NIT Silchar prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
- b) Normal commercial warranty/guarantee shall be applicable to the supplied goods.
- c) The goods (both indigenous & imported) should be insured against theft, loss or breakage during transit till destination.
- d) Upon delivery of goods, the supplier shall submit Suppliers Invoice, Insurance certificate, Warranty Certificate, or any other document.

23. **Acknowledgement of the Purchase Order:** The supplier shall give an acknowledgement of the Purchase Order within 15 days of the date of the Purchase Order. In case, the supplier fails to acknowledge the Purchase Order within the stipulated time, the Institute is at liberty to cancel the Purchase Order.

24. No alternations in tender forms shall be made by the bidder and if any such alteration is made, the tender is liable to be rejected.

a) Delivery Schedule and Penalty for Delay: Delivery of equipment should be made within 30days from the date of Purchase Order. **Penalty at the rate of 0.5% or part thereof of the order value per week, subject to a maximum of 2.5% will be imposed for delayed delivery and installation.**

25. Demurrages and penalty, if any, paid by the supplier shall not be borne by the Institute.
26. The tenders submitted shall clearly mention the name of the firm/person in whose favour the purchase order is to be placed.
27. Contact details of the person for all post sales/installation maintenance support should clearly be given with **Name & Designation, Phone No, Fax No, Mobile, E-mail and official address.**
28. National Institute of Technology Silchar is not liable for non-receipt of the tender forms in time due to wrong address/ any delivery delay of the mail service provider/ force majeure. Tender documents received after the last date and time for receiving tenders will be summarily rejected.
29. **Successful bidder shall give a performance security @5% in the form of Bank Guarantee.** The performance security shall be furnished after the order for supply is placed and before the final payment. Validity of the Performance Security shall cover the warranty period.
 - The proceeds of the Performance Security shall be payable to the purchaser as compensation for any loss resulting from the suppliers failure to complete its obligations under the contract.
30. All legal disputes shall be under the jurisdiction of the Silchar Courts of Cachar District in the state of Assam.



Registrar, NIT Silchar

DECLARATION

I / We hereby declare that no case is pending with the police/ court against the proprietor/ firm/ partner or the company (Agency). Also I /We have not been suspended / blacklisted by any PSU / Government Department / Financial Institution / Court.

(Signature & seal of the contractor)

Place:

Date:

NO DEVIATION CERTIFICATE

Notwithstanding anything mentioned in our bid, we hereby accept all the terms and conditions of this tender and we do not have any deviation to this tender enquiry. We hereby undertake and confirm that we have understood the scope of work properly and shall be carried out as mentioned in this tender enquiry.

(Signature & seal of the contractor)

Place:

Date:

BIDDERS DETAILS

Name of the Contractor /Party/ Firm :

Name of Authorized Representative :

Phone Nos. :

Mobile Nos. :

Fax No. :

E-Mail Address :

Web Site Address (If Any) :

(Signature & seal of the contractor)

Place:

Date:

CHECK-LIST (TECHNICAL BID)

SUMMARY OF COMPLIANCE TO REQUIREMENT OF TENDER

| Sl. No. | Description of Requirement | Yes / No / NA | Page No. |
|---------|---|---------------|----------|
| 1. | Tender Cost Rs.500/- (Non-refundable) in the form of Demand Draft in favour of "Director, NIT Silchar" in a separate envelope | | |
| 2. | EMD of Rs.17,000/- in the form of Demand Draft in favour of "Director, NIT Silchar" in a separate envelope | | |
| 3. | Copy of Manufacturer/ Authorized Supplier Certificate | | |
| 4. | Audited financial statement for the last 3 years | | |
| 5. | Copy of the PAN card. | | |
| 6. | Copy of VAT registration certificate | | |
| 7. | Copies of previous work order of similar work with completion certificate | | |
| 8. | Declaration certificate | | |
| 9. | No Deviation certificate | | |
| 10. | Bidder's details | | |
| 11. | Technical Specification | | |
| 12. | NSIC/SSI Certificate where applicable | | |
| 13. | All the pages of tender document have been signed | | |
| 14. | Sealed envelope of price bid submitted. | | |
| 15. | Complete copy of Techno Commercial Bid submit along with the Price Bid. | | |

(Signature & seal of the contractor)

Place:

Date:

1. (a) Technical Specification of Desktop PC with Windows OS: (QTY: 3nos.)

| | |
|----------------------------------|---|
| Processor | Intel® 6th generation Core™ Intel i7 6700, 3.4Ghz8MB cache or better. |
| Motherboard | OEM Motherboard Should have OEM logo embossed, no sticker |
| Chipset | Intel Q170 Chipset with 16 MB SPI FLASH (Serial Peripheral Interface) on chipset |
| Memory | 32 GB, 4 DIMM slots ; Non-ECC dual channel 2133 MHz DDR4 SDRAM, expandable up to 64 GB |
| Hardisk Drive | 500 GB SATA Hard Drive |
| Optical Drive | 8X or higher Slim DVD+/-RW drive |
| Graphics | Integrated Intel® HD Graphics 530 |
| Ethernet | Integrated 10/100/1000 Mbps Ethernet controller with PXE and WOL support |
| Bays | Min 1 internal 3.5" and 1 external 5.25" (slimline) |
| Slots | 2 PCI/PCIe slots, one should be X16 |
| I/O ports | 10 External USB: 6 x 3.0 (2 front/4 rear) and 4 x 2.0 (2 front/2 rear - 1 front with PowerShare); 1 Internal USB 2.0; 1 RJ-45; 1 Serial; 2 Display Port 1.2; 1 HDMI 1.4; 2 PS/2 |
| Audio Port | 1 Universal Audio Jack, 1 Line-out |
| Form Factor | Slim Chassis not more than 7.8lbs Volume |
| Power Supply | 180W typical 85% Efficient PSU. Energy Star Certified. |
| Monitor | 22 inch wide LED Backlit monitor min 1366 x768 resolution. TCO 6.0 Certified |
| Keyboard | 104 Keys Multimedia USB Keyboard (same make as PC) |
| Mouse | 2 Button USB Optical Mouse (same make as PC) |
| Operating System | Windows 10 Professional 64 Bit with DPK and OEM Media. |
| Security | TPM 1.2 Chip upgradeable to TPM 2.0, Chassis Lock Slot/Pad lock loop |
| Management / Diagnostic Features | BIOS diagnostic tool, in-band system management, HDD Pre-Failure alert |
| Recovery Software | OEM system recovery tool |
| Chassis | Tool Less Chassis, Tool Less HDD, SFF |
| Regulatory Certifications | FCC, UL, Energy Star, ROHS, Windows, Ubuntu Linux. The Desktop OEM should fall under Top manufacturers in the Leaders Quadrant of Gartner's magic quadrant for Global Enterprise Desktops and Notebooks, November 2014. |
| Warranty | 5 years On-site Comprehensive OEM Warranty |

1 (b) Technical Specification of Desktop PC with RHEL OS: (QTY : 2nos.)

| | |
|----------------------------------|---|
| Processor | Intel® 6th generation Core™ Intel i7 6700, 3.4Ghz8MB cache or better. |
| Motherboard | OEM Motherboard Should have OEM logo embossed, no sticker |
| Chipset | Intel Q170 Chipset with 16 MB SPI FLASH (Serial Peripheral Interface) on chipset |
| Memory | 32 GB, 4 DIMM slots; Non-ECC dual channel 2133 MHz DDR4 SDRAM, expandable up to 64 GB |
| Hardisk Drive | 500 GB SATA Hard Drive |
| Optical Drive | 8X or higher Slim DVD+/-RW drive |
| Graphics | Integrated Intel® HD Graphics 530. Additional graphics card: MSI NVIDIA or equivalent 4 GB DDR5 Graphics card. |
| Ethernet | Integrated 10/100/1000 Mbps Ethernet controller with PXE and WOL support |
| Bays | Min 1 internal 3.5" and 1 external 5.25" (slimline) |
| Slots | 2 PCI/PCIe slots, one should be X16 |
| I/O ports | 10 External USB: 6 x 3.0 (2 front/4 rear) and 4 x 2.0 (2 front/2 rear - 1 front with PowerShare); 1 Internal USB 2.0; 1 RJ-45; 1 Serial; 2 Display Port 1.2; 1 HDMI 1.4; 2 PS/2 |
| Audio Port | 1 Universal Audio Jack, 1 Line-out |
| Form Factor | Slim Chassis not more than 7.8lbs Volume |
| Power Supply | 180W typical 85% Efficient PSU. Energy Star Certified. |
| Monitor | 22 inch wide LED Backlit monitor min 1366 x768 resolution. TCO 6.0 Certified |
| Keyboard | 104Keys Multimedia USB Keyboard (same make as PC) |
| Mouse | 2 Button USB Optical Mouse (same make as PC) |
| Operating System | Red Hat Enterprise Linux 64 bit (latest version) with Media kit. |
| Security | TPM 1.2 Chip upgradeable to TPM 2.0, Chassis Lock Slot/Pad lock loop |
| Management / Diagnostic Features | BIOS diagnostic tool, in-band system management, HDD Pre-Failure alert |
| Recovery Software | OEM system recovery tool |
| Chassis | Tool Less Chassis, Tool Less HDD, SFF |
| Regulatory Certifications | FCC, UL, Energy Star, ROHS, Windows, Ubuntu Linux. The Desktop OEM should fall under Top manufacturers in the Leaders Quadrant of Gartner's magic quadrant for Global Enterprise Desktops and Notebooks, November 2014. |
| Warranty | 5 years On-site Comprehensive OEM Warranty |

| 2. Technical Specifications for Drone (QTY : 5) | |
|--|--|
| Description | |
| AIRCRAFT | |
| Weight (Including Battery) | 1380 g |
| Max Ascent Speed | 6 m/s (Sport mode) |
| Max Descent Speed | 4 m/s (Sport mode) |
| Max Speed | 20 m/s (Sport mode) |
| Max Service Ceiling Above Sea Level | 19685 feet (6000 m) |
| Max Flight Time | Approx. 28 minutes |
| Operating Temperature Range | 32° to 104° F (0° to 40° C) |
| Satellite Systems | GPS / GLONASS |
| Hovering Accuracy | Vertical: +/- 0.1 m (when Vision Positioning is active) or +/-0.5 m Horizontal: +/- 0.3 m (when Vision Positioning is active) or +/-1.5 m |
| OBSTACLE SENSING SYSTEM | |
| Obstacle Sensory Range | 2 - 49 feet (0.7 - 15 m) |
| Operating Environment | Surface with clear pattern and adequate lighting (lux > 15) |
| CAMERA | |
| Sensor | 1/2.3" Effective pixels:12 M |
| Lens | FOV (Field Of View) 94° 20 mm (35 mm format equivalent) f/2.8 focus at ∞ |
| ISO Range | 100 - 3200 (video) 100 - 1600 (photo) |
| Electronic Shutter Speed | 8 s to 1/8000 s |
| Max Image Size | 4000×3000 |
| Still Photography Modes | Single shot Burst shooting: 3 / 5 / 7 frames |
| Video Recording Modes | UHD: 4096×2160 (4K) 24/25p 3840×2160 (4K) 24/25/30p 2704×1520 (2.7K) 24/25/30p FHD: 1920×1080 24/25/30/48/50/60/120p HD: 1280×720 24/25/30/48/50/60p |
| Max Video Bitrate | 60 Mbps |
| Supported File Systems | FAT32 (≤ 32 GB); exFAT (> 32 GB) |
| Photo | JPEG, DNG (RAW) |
| Video | MP4 / MOV (MPEG – 4 AVC / H.264) |
| Supported SD Cards | Micro SD, Max capacity: 64GB. Class 10 or UHS-1 rating required |
| Operating Temperature | 32° to 104° F (0° to 40° C) |
| CHARGER | |

| | |
|-----------------------------------|--|
| Voltage | 17.4 V |
| Rated Power | 100 W |
| GIMBAL | |
| Controllable Range | Pitch: -90° to +30° |
| VISION POSITIONING SYSTEM | |
| Velocity Range | ≤10 m/s (2 m above ground) |
| Altitude Range | 0 - 33 feet (0 - 10 m) |
| Operating Range | 0 - 33 feet (0 - 10 m) |
| Operating Environment | Surfaces with a clear pattern and adequate lighting (lux > 15) |
| REMOTE CONTROLLER | |
| Operating Frequency | 2.400 GHz to 2.483 GHz |
| Max Transmission Distance | FCC Compliant: 3.1 mi (5 km); CE Compliant: 2.2 mi (3.5 km)(Unobstructed, free of interference) |
| Operating Temperature | 32° to 104° F (0° to 40° C) |
| Battery | 6000 mAh LiPo 2S |
| Transmitter Power (EIRP) | FCC: 23 dBm; CE: 17 dBm |
| Operating Voltage | 7.4V @ 1.2A |
| INTELLIGENT FLIGHT BATTERY | |
| Capacity | 5350 mAh |
| Voltage | 15.2 V |
| Net Weight | Less than 500 gm |
| Operating Temperature | 14° to 104° F (-10° to 40° C) |
| Max Charging Power | 100 W |