Schedule of Rate for Electrical Items

Name of work:- Supplying of electrical items for day to day electrical maintenance work.

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
1	1.5 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
2	2.5 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
3	4.00 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
4	6.00 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
5	10.00 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
6	16.00 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
7	1.5 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
8	2.5 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
9	4.00 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
10	6.00 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		

Engineer in charge Dean (P and D) Agency / Firm

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
11	10.00 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
12	16.00 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
13	25 mm PVC casing capping. Make- Richa, AKG,Presto teak.	Each		
14	25mm PVC elbow, tee, coupler, internal, external	Each		
15	20 mm PVC conduit pipe. Make- Richa, Presto teak	Each		
16	25 mm PVC conduit pipe. Make- Richa, Presto teak	Each		
17	32 mm PVC conduit pipe. Make- Richa, Presto teak	Each		
18	20mm PVC tee, elbow	Each		
19	25mm PVC tee, elbow	Each		
20	32mm PVC tee, bend	Each		
21	6A flush type switch (ISI marked)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
22	16A flush type switch (ISI marked)	Each		
23	6A flush type socket (ISI marked)	Each		
24	16A flush type socket (ISI marked)	Each		
25	16A switch socket combine board (ISI marked)	Each		
26	4"X4" PVC board make - Richa, presto teak or ISI marked	Each		
27	4"X7" PVC board make - Richa, presto teak or ISI marked	Each		
28	6"X8" PVC board make - Richa, presto teak or ISI marked	Each		
29	8"X10" PVC board make - Richa, presto teak or ISI marked	Each		
30	10"X12" PVC board make - Richa, presto teak or ISI marked	Each		
31	PVC Batten/Angle holder Make-HPL, Richar, Anchor, Maru or ISI marked	Each		
32	PVC Pendent holder Make- Anchar, Richa, Maru or ISI marked	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
33	Ceiling rose Make- Anchor, Richa, Maru or ISI marked	Each		
34	2 way connector	Each		
35	6A modular type switch (L&T, HPL, Havells)	Each		
36	16A modular type switch (L&T, HPL, Havells)	Each		
37	6A modular type socket (L&T, HPL, Havells)	Each		
38	6/16A modular type socket (L&T, HPL, Havells)	Each		
39	6A modular type switch (legrand)	Each		
40	16A modular type switch (Legrand)	Each		
41	6A modular type socket (Legrand)	Each		
42	6/16A modular type socket (Legrand)	Each		
43	1 module modular type metal/PVC box (L&T, HPL, Havells)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
44	2 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
45	3 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
46	4 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
47	6 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
48	8 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
49	12 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
50	1module modular type metal/PVC box (Legrand)	Each		
51	2 module modular type metal/PVC box (Legrand)	Each		
52	3module modular type metal/PVC box (Legrand)	Each		
53	4module modular type metal/PVC box (Legrand)	Each		
54	6module modular type metal/PVC box (Legrand)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
55	8module modular type metal/PVC box (Legrand)	Each		
56	9/10module modular type metal/PVC box (Legrand)	Each		
57	12module modular type metal/PVC box (Legrand)	Each		
58	1 module modular type face and grid plate (L&T, HPL, Havells)	Each		
59	2 module modular type face and grid plate (L&T, HPL, Havells)	Each		
60	3 module modular type face and grid plate (L&T, HPL, Havells)	Each		
61	4 module modular type face and grid plate (L&T, HPL, Havells)	Each		
62	6 module modular type face and grid plate (L&T, HPL, Havells)	Each		
63	8 module modular type face and grid plate (L&T, HPL, Havells)	Each		
64	12 module modular type face and grid plate (L&T, HPL, Havells)	Each		
65	1module modular type face and grid plate (Legrand)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
66	2 module modular type face and grid plate (Legrand)	Each		
67	3module modular type face and grid plate (Legrand)	Each		
68	4module modular type face and grid plate (Legrand)	Each		
69	6module modular type face and grid plate (Legrand)	Each		
70	8module modular type face and grid plate (Legrand)	Each		
71	9/10module modular type face and grid plate (Legrand)	Each		
72	12module modular type face and grid plate (Legrand)	Each		
73	2 way single metal MCB enclosure (HPL, L&T, Havells)	Each		
74	4 way single metal MCB enclosure (HPL, L&T, Havells	Each		
75	4 way double door MCB DB (HPL, L&T, Havells)	Each		
76	8 way double door MCB DB (HPL, L&T, Havells)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
77	12 way double door MCB DB (HPL, L&T, Havells)	Each		
78	MCCB DB (Double door) with bus bar, 125A earth bar, nutral link, din rail of following type	Each		
a)	4 way TPN (4+12) Double door (HPL, Havells, C&S)	Each		
b)	8 way TPN (4+18) Double door (HPL, Havells, C&S)	Each		
c)	12 way TPN (4+36) Double door (HPL, Havells, C&S)	Each		
79	6-32A, 10KA, C-Curve SP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
80	40A, 10KA, C-Curve SP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
81	63A, 10KA, C-Curve SP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
82	6-32A, 10KA, C-Curve SPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
83	40A, 10KA, C-Curve SPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
84	63A, 10KA, C-Curve SPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
85	6-32A, 10KA, C-Curve TP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
86	40A, 10KA, C-Curve TP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
87	63A, 10KA, C-Curve TP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
88	6-32A, 10KA, C-Curve TPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
89	40A, 10KA, C-Curve TPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
90	63A, 10KA, C-Curve TPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
91	63-100A, 16KA, 3P, (Ir setting 0.8 - 1) MCCB (HPL, Havells, C&S, Standard)	Each		
92	125A, 16KA, 3P, (Ir setting 0.8 - 1) MCCB (HPL, Havells, C&S, Standard)	Each		
93	160A, 16KA, 3P, (Ir setting 0.8 - 1) MCCB (HPL, Havells, C&S, Standard)	Each		
94	40W Fluorescent tube light (Philips, C&G, HPL or ISI Marked	Each		
95	60w GLS Lamp. (Philips, bajaj)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
96	40w flourescent tube light starter (Bajaj, Havells)	Each		
97	40w electronic ballast (philips, bajaj, HPL)	Each		
98	11w electronic ballast (bajaj, rashmi)	Each		
99	11w pin type CFL (2 pin) (bajaj)	Each		
100	36w pin type CFL (4 pin) (Bajaj, philips, havells, wipro)	Each		
101	a) 2.5 MFD fan capacitor (oil filled) (universal, tebcon)	Each		
	b) 3.15 MFD fan capacitor (oil filled) (universal, tebcon)			
	c) 4.00 MFD fan capacitor (oil filled) (universal, tebcon)			
102	a) 8/10 w CFL (Philips, bajaj, wipro, C&G, Havells, HPL)	Each		
	b) 18/20 w CFL (Philips, bajaj, wipro, C&G, Havells, HPL)			
103	100A, 450MM long aluminium TPN Bus bar (Havells, gico, HPL)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
104	200A, 450MM long aluminium TPN Bus bar (Havells, gico, HPL)	Each		
105	300A, 450MM long aluminium TPN Bus bar (Havells, gico, HPL)	Each		
106	35/8 iron screw (good quality)	pkt		
107	1.5" PVC gutka (good quality)	pkt		
108	PVC Black tape (Steel grip)	Roll		
109	6 sq mm twin core weather proof aluminiun conductor cable (ISI Marked)	Meter		
110	10 sq mm twin core weather proof aluminiun conductor cable (ISI Marked)	Meter		
111	40A MCB TYPE change over (Havells, HPL, C&S)	Each		
112	63A MCB TYPE change over (Havells, HPL, C&S)	Each		
113	500W Helozen lamp (only refile) (C&G, Helonex)	Each		
114	1000W Helozen lamp (only refile) (C&G, Helonex)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
115	63 - 100A 3/4P, MCCB enclosure (Havells, standard, C&S)	Each		
116	125A MCCB 3/4P enclosure (Havells, standard, C&S)	Each		
117	160A MCCB 3/4P enclosure (Havells, standard, C&S)	Each		
118	4sq mm copper bottle/pin lug	Each		
119	6sq mm copper bottle/pin lug	Each		
120	10sq mm copper bottle/pin lug	Each		
121	16sq mm copper bottle/pin lug	Each		
122	4sq mm copper ring/forke lug	Each		
123	6sq mm copper ring/forke lug	Each		
124	10sq mm copper ring/forke lug	Each		
125	16sq mm copper ring/forke lug	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
126	8 SWG copper wire	Meter		
127	6 SWG GI wire	Meter		
128	8 SWG GI wire	Meter		
130	M8 to M16 M.S. nut bolts with washer	KG		
131	1.5 sq mm 3 core multistrand PVC insulated copper cable. (ISI marked)	Meter		
132	2.5 sq mm 3 core multistrand PVC insulated copper cable. (ISI marked)	Meter		
133	6A 3 Pin top (ISI marked)	Each		
134	16A 3/5 Pin top (ISI marked)	Each		
135	500W Helozen holder	Each		
136	1000W Helozen holder	Each		
138	6.5 mm masonary drill bit (JK, ITI)	Each		

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
139	25mm, 300 mm long masonary drill bit (JK, ITI)	Each		
140	10W LED tube light with driver and complete fittings (HPL, Havells, bajaj, C&S, Wipro)	Each		
141	18/20W LED tube light with driver and complete fittings (HPL, Bajaj, Havells, C&S, Wipro)	Each		
142	Electronic 100w step type fan regulator 2module/socket type (Anchor, HPL)	Each		
143	Electronic modular fan speed controller (fan regulator) legrand, HPL, L&T , Anchor)	Each		
144	a)Fan bearing no. 6201			
	b)Fan bearing no. 6202			
	c)Fan bearing no. 6203			
145	1200 mm sweep celing fan of star rating 5 and ISI marked			
146	1400 mm sweep celing fan of star rating 5 and ISI marked			
	Exhaust fan (CG, Havells, Usha)			

Sl. no.	Description of items	Unit	Rate in fig.	Rate in word
147	225 mm sweep 900 rpm			
	300 mm sweep 900 rpm			
	450 mm sweep 900 rpm			
	600 mm sweep 900 rpm			

Engineer in charge Dean (P and D) Agency / Firm